# COMPACT CONSTRUCTION EQUIPMENT









## IN A MID-FRAME OF MIND

GET THE PICTURE. Loaded with state-of-the-art enhancements, our new mid-frame 320G and 324G Skid Steers and 325G Compact Track Loader (CTL) deliver superior pushing power and bucket breakout forces, for the tractive effort and leverage to shape the land, handle heavy pallet loads, and power through piles of rock and mulch. With toughness, comfort, and attachment versatility, they also feature flexible control choices and programmable performance settings to match specific jobsite requirements. And they work capably in close quarters and are easy to trailer. Customer-inspired options include rearview camera, deluxe LED side lighting, heated seat, Bluetooth® radio, hydraulic self-leveling, and ride control. Bring the middle ground into focus with a new John Deere G-Series mid-frame. See our complete lineup of compact skid steers at JohnDeere.com/skidsteers and CTLs at JohnDeere.com/ctls



# TRY THEM ON FOR SIZE

IT'S ONLY FITTING.

Our G-Series models enable you to work efficiently where larger machines just won't do. With impressive power, lift heights, and visibility, these agile multitaskers redefine what compact equipment can do. Choose vertical or radial lift, skid steer or compact track loader (CTL), small or large frame — whichever best suits your application.

### When bigger is better

Featuring additional lift height and reach, greater boom and bucket breakout forces, and more horsepower than their small-frame siblings, large-frame 330G and 332G Skid Steers and 331G and 333G CTLs lend a little extra muscle for especially challenging tasks.

#### Push to get ahead

Outstanding pushing power and impactful axle torque help carve out clay, power through piles, and keep the bucket heaped.

#### Slim and trim

Slimmed-down wheel options enable small-frame 312GR, 314G, 316GR, and 318G Skid Steers to easily fit through openings as narrow as 60 in.

#### Day in, day out

Oil-bathed final-drive chains withstand daily punishment and never need adjustment.

#### Movable assets


With weights of only 5,995–8,195 lb., small-frame 312GR–318G Skid Steers and 317G CTL are easy to trailer behind a standard pickup truck.

#### Feel the boom

Electrohydraulic (EH) boom performance package on large-frame models provides bucket self-leveling in both the up and down directions, and programmable return-to-dig, return-to-carry, and boom-height-kickout settings to ease highly repetitive load and carry tasks.











### SPIN DOCTORS

TURN, TURN, TURN.

Here's some positive spin: Zero- and reduced-tail-swing designs allow these nimble compact excavators to rotate fully without banging their tails into things. Combined with independent-swing boom and 360-deg. rotation, they work with ease around obstacles. But it's not just their shape and small stature that let the 17G, 26G, 30G, 35G, 50G, and 60G work circles around some other compacts. Quick cycles, smooth hydraulics, and impressive drawbar pull make these highly capable compacts even more able. Plus, they are extra comfortable inside. Seats and controls are positioned to accommodate larger operators, and virtually unobstructed visibility provides a commanding view of the task at hand. Like all John Deere machines, extended service intervals and wide-open component access help maximize uptime and minimize operating costs.

#### Rental ready

Rounding out our lineup with powerful lift capacity and breakout force, the 30G is an ideal addition to most rental fleets.

#### Room to move

The 26G and 30G feature swing booms and foldable travel pedals positioned to maximize both operating ease and footroom.

#### In the swing

Zero- and reduced-tail-swing designs make these compact excavators plenty able on tight jobsites.

#### Home away from home


Spacious operator stations enable productivity-boosting comfort and visibility.

#### Get attached

Standard coupler accommodates a wide variety of Worksite Pro attachments such as hydraulic hammers and planetary augers.

#### On the angle

Angle-blade options on the 35G, 50G, and 60G further expand machine versatility and capability.



#### Heap and stack

With increased lift and height to hinge pin, the 324L High-Lift is especially adept at repetitive dumping and stacking applications.

#### Travel on

Two-range hydrostatic drivetrains deliver infinite travel speeds up to 25 mph on the 344L.

#### Lift and link

New loader linkage on the 244L and 324L increases the lift path to near parallel, for improved fork operation and greater holding force than previous models.

#### High achievers

With up to 3-ft. 1-in. reach and 8-ft. 7-in. dump clearance, the 204L and 304L are more than able alternatives to skid steers for loading trucks or placing pallets on trailers.



#### Smooth operator

Industry-exclusive Articulation Plus™ steering system on the 244L, 324L, and 344L enables tight turns with large loads, delivering more turn-tip capability and stability than leading competitive articulation loaders.

#### Easy attachment

Push-button-actuated skid-steerstyle coupler (an available option on the 324L, 304L, 244L, and 204L) enables quick and easy connection and release of attachments from the seat.

### **Confidently compact**

Just 8-ft. tall, our 204L and 304L deliver lower clearance than many wheel loaders in their class — and are a full foot lower than our 244L.

#### **KEY**

SS Skid Steer

Compact Wheel Loader

Compact Excavator

Compact Track Loader







#### 1. Quik-Tatch™

You can go from bucket to grapple to whatever in no time flat with the universal, self-cleaning Quik-Tatch easy-attachment system.

SS CWL CTL

#### 2. Angle-Tatch

Attaching to the Quik-Tatch coupler for attachment tilt up to 14 deg. left or right, the Angle-Tatch enables buckets, blades, and other non-hydraulic attachments to rotate for more precise grading and leveling without leaving the seat of the machine.

SS CWL CTL

#### 3. Ag Forks/Utility Grapples

Durably constructed tines and a one-piece top clamp enable steady handling of hay and manure.

SS CTL

#### 4. High-Torque Stump Shredder

Removes stumps from 8 to 28 in. in diameter in a single pass and shreds material without the dangerous flying debris of conventional stump grinders.

SS CTL

#### 5. Plate Compactors

Designed for trench, slope, and excavation compaction, new plate compactors are available in widths from 13 to 24 in.

CEX

#### 6. Pallet Forks

Available in lengths of 42, 48, and 60 in., our pallet forks feature a brick-guard design for protection against load damage.

SS CWL CTL

#### 7. Material/Manure Scrapers

Push or scrape manure, mud, light snow, or other wet or sloppy materials. Rubber edges capably clean hard surfaces such as concrete.

SS CTL

#### 8. Mulching Head

60-in. rotor and 30 double carbide-tipped teeth shred woody materials into beneficial mulch in just minutes. Removes underbrush and up to 8-in. trees and 12-in. stumps.

SS CTL

#### 9. Bale Hugger/Square Bale Tines/Round Bale Spears

Bale hugger lifts, moves, and stacks rectangular or round bales up to a 2,400-lb. load. Square bale tines and round bale spears feature low-profile designs for clear visibility from the machine.

SS CWL CTL

#### 10. Side-Discharge Buckets

Spread sand, sawdust, or straw in livestock stalls. Backfill gravel into trenches. Or precisely place landscape mulch.

SS CWL CTL

#### 11. Rotary Cutters

Double-edge blades, fast blade-tip speed, and tapered side-discharge chute ensure clean cutting and maximum material shredding. Cuts and mulches up to 4-in.-diameter saplings and heavy brush.

SS CTL


#### **KEY**

SS Skid Steer

Compact Excavator

CWL Compact Wheel Loader

Compact Track Loader



#### 1. Brooms

Angle and pickup styles are available. Heavy-duty high-torque drive motors promote long-term dependability.

SS CWL CTL

Planetary drive with reverse rotation provides fast digging and quick back-outs. Choose from a variety of bit styles and diameters.

SS CWL CEX CTL

#### 3. Hydraulic Hammers

More blows per minute and 30-percent fewer parts than previous models enable these hammers to easily break down the toughest tasks.

SS CEX CTL

#### 4. Cold Planers

Ideal for street repairs, leveling uneven pavement, cutting drainage in parking lots, and cleaning around larger milling machines.

SS CWL CTL

#### 5. Rotary Tillers

Rotary tillers feature rugged construction, heavy-duty tines, and a tilling depth to 6 in. Bidirectional operation with heavy-duty adjustable leveling board.

SS CTL

### 6. Vibratory Rollers

Choose the width and compaction force you need in padded or sheep's-foot configurations.

SS CWL CTL

#### 7. Scrap Grapples

A pair of independent-action, hydraulic-powered grapples grasp and retain objects of different sizes. Ample grapple opening enables the handling of large payloads.

SS CWL CTL

#### 8. Rock Grapples

High grapple forces, wide grapple capacities, and weld-in serrated cutting edges make rock grapples ideal for tasks such as land clearing, jobsite cleanup, and brush removal.

SS CWL CTL

#### 9. Steel Tracks

Self-cleaning design improves traction and flotation in soft, muddy, or loose conditions. Also smoothes the ride over rough terrain and reduces ground pressure.

SS

#### 10. Snow Pushers

Quickly and efficiently remove large accumulations of snow from sidewalks, parking lots, and driveways. Available pullback edge is ideal for work in confined areas and around obstructions.

SS CWL CTL

### 11. Trenchers

Choose 36-, 48-, and 60-in. digging depths in high- and low-flow versions. Heavy-duty drive system eliminates chain reduction.

SS CTL

#### 12. Dozer Blades

Turn your skid steer or compact track loader into a compact bulldozer. Power angle and tilt let you make adjustments on-the-go.

SS CTL





With John Deere Worksite Pro™ attachments, you've got plenty of choices. And we can hook you up with the right financing, too. From flexible rates to flexible payments, our solutions are as varied as the products they support.

Contact your John Deere dealer today and find out just how easy it is to get attached to the tools you need.



JohnDeere.com

This literature has been compiled for worldwide circulation. While general information, pictures, and descriptions are provided, some illustrations and text may include finance, credit, insurance, product options, and accessories NOT AVAILABLE in all regions. PLEASE CONTACT YOUR LOCAL DEALER FOR DETAILS.

John Deere reserves the right to change specification and design of all products described in this literature without notice.

